



SavantOS 11.2.4

Release ReadMe

Release Details

Document Number:	009-2737-00
Release Number:	SavantOS 11.2.4
Release Date:	August 2026

Overview

This ReadMe contains information for the SavantOS 11.2.4 release.

Document Sections

1. Software Release Versions and Files	2
2. System Requirements	3
3. New Features	6
4. Product Enhancements	6
5. Resolved Issues.....	7
Appendix A: Support per Release Matrix - Host.....	9
Appendix B: Support per Release Matrix - MacBook/SDE.....	9
Appendix C: Firmware Installed per SavantOS Release	10
Appendix D: Host Licensing and Feature Support Matrix.....	14
Appendix E: Power Directors - SP&L App Configured (Feature Support Matrix)	16
Appendix F: Original Host Feature Support Matrix	17

1. Software Release Versions and Files

The products and applications listed below are user-managed and not automatically updated by the Host or through an OTA (over the air) update. Products updated through the Host or by an OTA update are listed in [Appendix C: Firmware Installed per SavantOS Release](#).

Software/Application	Latest Version		Updated	Requirements	Download Location
Savant Application Manager (SAM)	3.5.2 (706)		No	 macOS 14.6 and higher	Savant Community > Latest Software > Apps
Runtime Builds	11.2.4 (751) - Mac Hosts		Yes	SAM 3.5.2 and higher	Installed using SAM
	11.2.4 (695) - SHC-2000/S2				
	11.2.4 (697) - SHR-2000/2000E/S2				
	11.2.4 (700) - Integrated Hosts				
	11.2.1(63860) - Director (-01)		No		
	11.2.1 (63860) - Director (LITE/-00)		No	SCM log in access	Savant Central Management
Blueprint and associated Applications	11.2.4 (751)		Yes	SAM 3.5.2 and higher	Installed using SAM (Part of SavantOS)
Savant app (iOS / Android)	App: 11.2.4		Yes	iOS 15.4 and higher / Android 4.4 and higher	Apple App Store / Google Play Store
Savant Power & Light app (iOS / Android)	App: 3.3.3		No	iOS 12.0 and higher / Android 5.0 and higher	Apple App Store / Google Play Store
Savant Power Storage app (iOS / Android)	App: 3.0.6		No	iOS 12.0 and higher / Android 5.0 and higher	Apple App Store / Google Play Store
Savant Home app	App: 10.2		No	Requirements are listed in the: Home App for Apple TV Deployment Guide (009-1913)	
SmartConnect app	1.11		No	iOS 9.3 and higher	Download from the Apple App Store
SmartClimate (CLI-8000)	1.02.027		Not Release Dependent The firmware listed was the version available when the runtime from this document was initially released.	da Vinci 6.0 and higher	Update firmware using SmartConnect
Backpack Nano P5	LS98204_14 1051054_110_100			da Vinci 8.7 and higher	Download the firmware from the product page on the Savant Store. See the Nano Backpack P5 Deployment Guide for reference.
SLN-88VLC4K / SLN-44VLC4K HRX-4KVLC40 / HRX-4KVLC100	SLN-44VLC4K	SLN-88VLC4K		da Vinci 9.2 and higher	Download the firmware from the product page on the Savant Store. See the 4K HDR HDBase T Matrix Switcher Deployment Guide for reference.
	MCU: v4.1.3	MCU: 4.1.3			
	WebUI: v5.3	WebUI: v5.1			
	SLN-xxVLC4K ST MCU: v3.1 / GD MCU: v4.1.3				
Door Entry	2.46.1.70.4			da Vinci 8.9 and higher	Update the firmware using the embedded Web UI. See the Entry Service using 2N Door Stations Deployment Guide for reference.

 **IMPORTANT:** Use Savant Application Manager (SAM) to install and upgrade the SavantOS runtime onto a Savant Development Environment (SDE/MacBook) or Savant Hosts. SAM can install and manage multiple releases, all under a single user. Refer to the **Savant Application Manager - Reference Guide** on the [Savant Customer Community](#) for more information.

2. System Requirements

2.1. Savant Hosts

Host	Memory
Mac Pro Ultra Host (Mac) - SVR-7300S	64 GB (Min)
Mac Studio Ultra Host (Mac) - SVR-6800S / SVR-6900S	32 GB / 96GB (Min)
Mac Studio Max Host (Mac) - SVR-6300S / SVR-6400S	32 GB / 36GB (Min)
Super Pro Host (Mac) - SVR-7100S	32 GB (Min)
Pro Host (Mac) - SVR-5400S	16 GB (Min)
Pro Host (Mac) - SVR-5100S / SVR-5200S / SVR-5300S	8 GB (Min)
Smart Host (Linux) - SHC-2000, SHR-2000 / 2000E	Model Number Specific
S2 Host (Linux) - SHC-S2 / SHR-S2	
Soundbar with Host (Linux) - HST-STUDIOxx-2CH	
Soundbar with Host (Linux) - HST-STUDIO55WS-SUR-xx / HST-STUDIO55WS-ECO-xx	
IP Audio 1 with Host (Linux) - HST-SIPAISM-xx / HST-SIPAIECO-xx	
Power Director Host - HST-DIRECTOR-01	



IMPORTANT NOTE:

- For specific Host macOS information, see [Support per Release Matrix - Host](#).

2.2. Savant Development Environment (SDE)

SDE	Memory
MacBook	4 GB (Min)



IMPORTANT NOTE:

- For specific SDE macOS information, see [Support per Release Matrix - MacBook/SDE](#).

2.3. Original Runtime OS License Requirements

A license is required to unlock varying levels of features and functionality in a Savant Pro System.

Refer to the **Savant Host Runtime Licensing Reference Guide** on the [Savant Customer Community](#) for information on adding a license to a Host.

Host Licensing

A Runtime License is needed to unlock all functions available to its respective Host.

OSL-PRO10-00	Runtime License - Pro 10 - License for new Pro Host
SSL-PROE-1YR	Essentials 1 year subscription license for the Pro Host
OSL-SUPERPRO10-00	Runtime License - Super Pro 10 - License for Super Pro Host
SSL-SUPERPROE-1YR	Essentials 1 year subscription license for the Super Pro Host
OSL-SMRT10-00	Runtime License - Smart 10 - License for new Smart Host
SSL-SMRTE-1YR	Essentials 1 year subscription for SHC/SHR-2000 Smart Hosts with Control
SSL-S2EMBE-1YR	Essentials 1 year subscription for SHC/SHR-S2 Smart Hosts and HST-STUDIO/HST-SIPAISM IP Audio Hosts

Smart Host Add-On Licensing

Smart Premium license is an add on license for the Smart Hosts.

OSL-SMRTPREM-00	Activation License (premium features) - Unlocks additional functions not available in the basic license.
-----------------	--

Refer to [Original Host Feature Support Matrix](#) for specific information on the functionality unlocked with each license type.

2.4. Host License Requirements

Smart and Mac Hosts require both a Runtime License and an active Essentials subscription to operate. Optional feature licenses unlock additional third-party integrations and capabilities. The Power Director Host (HST-DIRECTOR-01) does not need an active Essentials subscription to operate.

The table below lists the available licenses for each Host type.

See the [Savant Host Runtime Licensing Reference Guide](#) on the [Savant Customer Community](#) for information on adding a license to a Host.

Host Runtime License and Essentials Subscription

OSL-LIMITED-00	Runtime License - Limited - Mac License for Mac Hosts (SVR-5300S, SVR-5400S, SVR-6300S, SVR-6400S, SVR-6800S, SVR-6900S, SVR-7300S)
OSL-CORE-00	Runtime License - Core - Mac License for Mac Hosts (SVR-5300S, SVR-5400S, SVR-6300S, SVR-6400S, SVR-6800S, SVR-6900S, SVR-7300S)
OSL-UNLIMITED-00	Runtime License - Unlimited - Mac License for Mac Hosts (SVR-5300S, SVR-5400S, SVR-6300S, SVR-6400S, SVR-6800S, SVR-6900S, SVR-7300S)
SSL-EVOMACE-1YR	Essentials 1 year subscription for Mac Licensed Hosts
OSL-SMARTECO-00	Runtime License - Smart License for SHR-2000 Smart Hosts with Control
SSL-SMARTECOE-1YR	Essentials 1 year subscription for SHR-2000 Smart Hosts with Control
SSL-IPAUDIOE-1YR	Essentials 1 year subscription for IP Audio Hosts (HST-SIPA1ECO-xx and HST-STUDIO55WS-ECO-xx)
SSL-DIRECTE-1YR	Essentials 1 year subscription for the Power Director Host (HST-DIRECTOR-01)

3rd-Party Feature Licensing



IMPORTANT NOTES:

- Two versions of 3rd-Party Feature licenses exist for Mac Hosts: Current and Legacy.
- Current 3rd-Party Feature licenses (SFL-3Pxxx) apply to all new purchases and deployments.
- Legacy 3rd-Party Feature licenses (SFL-EVOxxx) remain valid for use if previously purchased and not yet deployed.
- See the **Legacy to Current 3rd-Party Feature Licensing Replacement** table to identify which Current license replaces each Legacy license.

Current 3rd-Party Feature Licensing

SFL-3PLMS-SMART	3rd-Party Lighting, Music, and Shades for Smart Hosts with Control
SFL-3PLMS-LIMITED	3rd-Party Lighting, Music, and Shades for Mac Hosts (Limited License)
SFL-3PLMS-CORE-UNLIMITED	3rd-Party Lighting, Music, and Shades for Mac Hosts (Core & Unlimited Licenses)
SFL-3PBATTERYSTORAGE-MAC	3rd-Party Energy Storage System (ESS) for Mac Hosts (Limited, Core, and Unlimited Licenses)

Legacy 3rd-Party Feature Licensing (Mac Hosts)

SFL-EVOLIGHTING-LIM	3rd-Party Lighting and Shades for Mac Hosts running the Savant Mac Limited License
SFL-EVOPOWERSTORAGE-LIM	3rd-Party Energy Storage System (ESS) for Mac Hosts running the Savant Mac Limited License
SFL-EVOLMQMUSIC-LIM	3rd-Party Music for Mac Hosts running the Savant Mac Limited License
SFL-EVOLIGHTING-CORE	3rd-Party Lighting and Shades for Mac Hosts running the Savant Mac Core License
SFL-EVOPOWERSTORAGE-CORE	3rd-Party Energy Storage System (ESS) for Mac Hosts running the Savant Mac Core License
SFL-EVOLMQMUSIC-CORE	3rd-Party Music for Mac Hosts running the Savant Mac Core License
SFL-EVOLIGHTING-UNLIM	3rd-Party Lighting and Shades for Mac Hosts running the Savant Mac Unlimited License
SFL-EVOPOWERSTORAGE-UNLIM	3rd-Party Energy Storage System (ESS) for Mac Hosts running the Savant Mac Unlimited License
SFL-EVOLMQMUSIC-UNLIM	3rd-Party Music for Mac Hosts running the Savant Mac Unlimited License

Legacy to Current 3rd-Party Feature Licensing Replacement

This table shows which Current 3rd-Party feature licenses replaces its' Legacy versions.

Current Licenses (SFL-3Pxxx)		Legacy Licenses (SFL-EVOxxx)	Description
SFL-3PLMS-LIMITED	REPLACES >	SFL-EVOLIGHTING-LIM SFL-EVOLMQMUSIC-LIM	3rd-Party Lighting, Music, and Shades for Mac Hosts (Limited License)
SFL-3PBATTERYSTORAGE-MAC	REPLACES >	SFL-EVOPOWERSTORAGE-LIM SFL-EVOPOWERSTORAGE-CORE SFL-EVOPOWERSTORAGE-UNLIM	3rd-Party Energy Storage System (ESS) for Mac Hosts (Limited, Core, and Unlimited License)
SFL-3PLMS-CORE-UNLIMITED	REPLACES >	SFL-EVOLIGHTING-CORE SFL-EVOLMQMUSIC-CORE SFL-EVOLIGHTING-UNLIM SFL-EVOLMQMUSIC-UNLIM	3rd-Party Lighting, Music, and Shades for Mac Hosts (Core and Unlimited License)

Refer to the **Host Licensing and Feature Support Matrix** in [Appendix D](#) for specific information on the functionality unlocked with each license type.

3. New Features

This section covers all new features included in this SavantOS release.

New Thermostat Profile

- Added software support for the Daikin One+ thermostat with Local API (IP) control.

Power and Lighting

- Added **IsMotionDetected** state for GE PROSEO Flex Keypad Button and Motion Dimmer for trigger programming in Blueprint (SHM-12456).
- Proseo Flex keypads now support standard 3-way and 4-way lighting switch configurations, with or without a button switch in Aux Mode, increasing installation flexibility (SHM-12862/ SHM-11883).
- Added support for Sol-Ark 30K hybrid inverters (ENGY-6126).

4. Product Enhancements

The following are product enhancements in this SavantOS release.

Apple TV Control Bridge

- The Savant Android app now fully supports the Apple TV Control Bridge feature including device setup and control.
- Added support for the Home button on the Android Savant App Apple TV service screen when using the Apple TV Bridge IP profile, allowing apps to close with a double tap of the Home button (SHM-12476).
- Added search support for Apple TV Bridge devices in the Android Savant app, allowing the keyboard to open when entering search text (SHM-13168).

Lighting and Power

- All GE Universal Lighting devices integrated with Savant can now be used as a proxy for the Proseo Wire-Free Remote (LAS-72).

Savant Touch Panels

- Fixed an issue where Savant Touch Panels could fail to reconnect to the Host after waking from a sleep state (SHM-12716).
- Savant Touch Panels now include a new "Require PIN Code on Wake" toggle, which can be enabled via **Settings > Touch Panel Settings > Sleep > Interface Lock** (SHM-12614).
- Added support for Simplified Chinese Keyboard on the V2 and V3 Savant Touch Panels (SHM-9332).

5. Resolved Issues

The following issues are resolved in this SavantOS release.

Apple TV Control Bridge

Fixed an issue where an Apple TV Bridge profile in Blueprint with an apostrophe in the name could fail to pair or be discovered (SHM-12452).

Blueprint

- Improved stability for the KNX Manager (LAS-82).
- Resolved an issue where the Savant Bulb (BLE) may not be in a configuration when pulled from the Host with System Monitor.

Blueprint - Lighting and Shade Device Manager

- Fixed an issue where lighting loads could remain associated with a removed lightbank after upgrading to SavantOS 11.2.1 (SHM-12809).
- Fixed an issue where Power Module relays assigned as HV Controllers for 0–10V loads could incorrectly appear in the Data table and appear in the Savant app (LAS-17).
- Improved Blueprint stability when creating a programmed lighting Scene directly from a keypad button (SHM-12946).
- Fixed an issue where renaming a PBC-1000 could create a duplicate PBC component (SHM-12501).
- Fixed an issue where enabling **Always On** for ECHO/METRO keypads could fail to provide continuous power to the connected load
- Blueprint now enforces a keypad to first be discovered on the network via the Discovery panel in order for the **Always On** mode to be active (ENGY-8759).

Door Entry

- Fixed an issue where 2N video clips uploaded to the cloud could overwrite previously stored clips, resulting in lost recordings (SHM-11308).

Lighting and Power

- Fixed an issue where non-critical loads could fail to restore to the previous state after grid power was restored (ENGY-8884).
- Fixed an issue where Power Module relays assigned as HV Controllers for 0–10V loads could fail to switch on or off with the controlled load (LAS-18).
- Fixed an issue where 2-gang Lutron devices could import incorrectly (LAS-57).
- Fixed an issue where reimporting Lutron HomeWorks QSX shades could assign duplicate **Address 2** values and prevent shade control through Savant (LAS-52).
- Fixed an issue where LV keypad buttons programmed with the Dimmer function could fail to control loads set to 20% or lower (SHM-11079).
- Fixed an issue where Lutron LEAP controllers could fail to import Lumaris RGBW and Ketra Rope Light loads into Blueprint (SHM-9262).
- Fixed an issue where the Lutron LEAP Advanced Integration Bridge could fail to reconnect to a Lutron processor after a power outage when the processor received a new DHCP IP address (SHM-7081).
- Fixed an issue where Blueprint allowed Storm Mode Reserve SoC values above the supported 90% maximum, causing PS20 systems to use the normal Backup Reserve SoC instead (ENGY-7797).

Savant App (Android)

- Fixed an issue where certain services could be unavailable when editing Scenes in the Android Savant App or on Savant Touch Panels (SHM-10905).
- Fixed an issue where Custom Screens could fail to load in the Android Savant App in rare cases (SHM-12382).
- Fixed an issue where Android users were unable to view Event Recordings or download Event Recordings for Ring and 2N doorstations (SHM-12459).

Savant App (Android/iOS)

- Fixed an issue that caused the Savant App to display an unnecessary Unsaved Changes prompt when launched on the local network (SHM-12781).
- Fixed an issue where the Savant app could display HVAC zones outside the assigned zone mapping (SHM-4346/ SHM-4347).

Savant App (iOS)

- Fixed an issue where “Climate” could appear twice when creating a Scene in the iOS Savant App (SHM-10375).
- Fixed an issue where capture scene in the Savant app could fail to include all selected rooms for music services (SHM-12965).
- Fixed an issue where Point-to-Point Intercom calls initiated from an iPhone could fail to connect (SHM-12667).

Savant Central Management (SCM)

- Fixed an issue where third-party devices could fail to appear in the Configured Devices tab in Savant Central Management after upgrading to SavantOS 11.2 or 11.2.1 (SHM-12735).

Savant Hosts

- Fixed an issue where the **global.CurrentFormattedTime** and **global.CurrentFormattedDateTime** states could incorrectly apply a Daylight Saving Time offset in time zones that do not observe DST (SHM-12793).

Savant Pro Remote (REM-1000)

- Fixed an issue where REM-1000 remotes paired with Linux Hosts could fail to control services or update screens properly (SHM-8278).

Savant Smart Controllers (SSC-0014)

- Fixed an issue where the Host could fail to detect a lost connection to an SSC-0014, preventing automatic recovery (SHM-11820).

Savant Touch Panels

- Fixed an issue where Savant Touch Panels could fail to reconnect to the Host after waking from a sleep state (SHM-12716).
- Fixed an issue where the Savant Touch Panel's Home Screen could incorrectly display “Faults Found” when all security zones were secure on systems with multiple Vista 20P panels (SHM-12824).
- Fixed an issue where the current temperature failed to display in the service bar when Chinese was the selected language (SHM-11470).
- Fixed an issue where active lighting or A/V services could fail to be captured in Scenes when Chinese was selected as the language (SHM-10147).

Appendix A: Support per Release Matrix - Host

The tables below list the supported macOS versions per SavantOS release for Mac Hosts.

 IMPORTANT:

- Non-SVR-5400S Hosts must be updated to macOS Sequoia 15.3 or higher Sequoia point release for compatibility with SavantOS 11.0.5 and higher.
- When updating macOS on an SDE, Savant recommends updating SavantOS on both the Host and SDE to the latest **supported** version.

SavantOS 11.x	11.0	11.0.1	11.0.2	11.0.5	11.0.6	11.2	11.2.1	11.2.4
RELEASE DATE	November 2024	March 2025	May 2025	September 2025	November 2025	April 2026	May 2026	August 2026
Ventura (13) or older	Not Supported							
Sonoma (14)	Supported (14.6.x and later Sonoma point releases)		Not Supported					
Sequoia (15)	Not Supported		Supported (SVR-5400S Only)	Sequoia 15.3.x*				
Tahoe (26)	Not Supported					Not Supported**		Supported

- * Mac Hosts are only supported with macOS Sequoia 15.3.x and higher Sequoia point releases.
- ** Only Savant Manufactured Hosts support macOS Tahoe.

Appendix B: Support per Release Matrix - MacBook/SDE

The tables below list the supported macOS versions per SavantOS release on the SDE.

 IMPORTANT: When updating macOS on an SDE, Savant recommends updating SavantOS on both the Host and SDE to the latest **supported** version.

SavantOS 11.x	11.0	11.0.1	11.0.2	11.0.5	11.0.6	11.2	11.2.1	11.2.4
RELEASE DATE	November 2024	March 2025	May 2025	September 2025	November 2025	April 2026	May 2026	August 2026
Catalina (10.15) or older	Not Supported							
Big Sur (11)	Supported					Not Supported		
Monterey (12)	Supported					Not Supported		
Ventura (13)	Supported					Supported (Ventura 13.5 and higher)		
Sonoma (14)	Supported							
Sequoia (15)	Supported							
Tahoe (26)	Not Supported					Supported		

Appendix C: Firmware Installed per SavantOS Release

⚠️IMPORTANT! The versions listed are current at the time of release, note that versions may be updated via OTA for applicable devices after initial release date.

Controllers		
	11.2.4	Last Update (SavantOS)
RELEASE DATE	August 2026	
MSC-xxxx, RSC-0025, Rosie2	8.4:302	8.8
ICC-1P0L, ICC-100L, ICC-2PLA, ICC-20LA, FRC-P100, IRX-LN01, SSA-40XX, SSC-0007-10, SSC-0008, SSC-0025-10	8.1:602	7.2
SSA-3220 & SLN-8xBT	8.1:601	7.2
SSC-W008	7.12:400	6.0.1
System2, OSD-1010, OCC-510	7.7:213	5.2.1
RSC-0007, SSC-0007-00, SEM-1024	7.7:210	5.2.1
SSP-xxxx, SSA-3000, SSM-3xxx, SSV-1000, SSC-0025-00, FTC-P100, 30-Pin Coldfire iPad Docks	8.4:302	8.8
SSC-0012	1.9:1	11.2
SSC-0014	1.9:51	11.2.4
SSC-002485	1.3.1	10.1.1
SSC-W485	1.1.200	10.2
SSC-W002G	2.1.200	10.2
SSC-W02R	1.3.200	10.2
SSC-W003I	2.1.200	10.2
SSC-W103I	1.1.200	10.2
SHC-2000	1.1.1	9.2.2
SHR-2000/2000E	1.1.1	9.2
SHC-S2	1.1.1	9.2
SHR-S2	1.1.1	9.2

User Interfaces		
	11.2.4	Last Update (SavantOS)
RELEASE DATE	August 2026	
ITP-E5500x-20 (Savant Touch 5.5 in.)	11.2.4.723	11.2.4
ITP-E8000x-20 (Savant Touch 8 in.)	11.2.4.723	11.2.4
ITP-E5500x-30 (Savant Touch 5.5 in.)	11.2.4.723	11.2..4
ITP-E8000x-30 (Savant Touch 8 in.)	11.2.4.723	11.2.4
ITP-E8000x-31 (Savant Touch 8 in.)	11.2.4.723	11.2.4
ITP-E5500V2x-00 (Savant Touch 5.5 in.)	11.2.4.712	11.2.4
ITP-E8000V2x-00 (Savant Touch 8 in.)	11.2.4.711	11.2.4
ITP-E5900V3x-00 (Savant Touch 5.9 in.)	11.2.4.730	11.2.4
ITP-E8000V3x-00 (Savant Touch 8 in.)	11.2.4.727	11.2.4
ITP-E10100V3x-00 (Savant Touch 10.1 in.)	11.2.4.725	11.2.4
REM-4000 (Pro Remote)	11.2.1.613	11.2.1
CLI-W200/210	3.0.1	10.4
CLI-W220	4.0.7	11.2
SST-W300 (GE Thermostat)	1.0.10	11.0.5
Savant Intention Engine	3.11.5.2101	11.2

IP Video		
	11.2.4	Last Update (SavantOS)
RELEASE DATE	August 2026	
PAV-VIM1C (Copper) Single Input AVoIP Tx	4.1.2.0 MCU: 1.0.12.0 HDMI: 1.20.5.0	9.4
PAV-VIM1CP2 (Copper) Single Input AVoIP Tx	Card: 2.1.0.2 MCU: 2.0.1.1	10.5.3
PAV-VIMVP1CP2	Card: 2.1.0.2 MCU: 2.0.1.1	10.5.3
PAV-VIM4S 4 Port Input AVoIP Tx	1.2:1 Card: 4.1.2.0	9.4
PAV-VIM8S 8 Port Input AVoIP Tx	1.2:1 Card: 4.1.2.0	9.4
PAV-VIMAP4S 4 Port Input AVoIP Tx	10.2.0.10700 Card: 4.1.2.0	10.2
PAV-VIMAP4S2 4 Port Input AVoIP Tx	10.5.0.1 Card: 2.1.0.2 MCU: 2.0.1.1	10.5.3
PAV-VIMAP8S 8 Port Input AVoIP Tx	10.2.0.10700 Card: 4.1.2.0	10.2
PAV-VIMAP8S2 8 Port Input AVoIP Tx	10.5.0.1 Card: 2.1.0.2 MCU: 2.0.1.1	10.5.3
PAV-VOMVPIF (Fiber) Single Output AVoIP Tx	4.1.2.0	9.4
PAV-VOMVP1C (Copper) Single Output AVoIP Rcv	4.1.2.0	9.4
PAV-VOM1C (Copper) Single Output AVoIP Rcv	4.1.2.0 MCU: 1.0.12.0 HDMI: 1.68.5.0	9.4
PAV-VOM1CP2 (Copper) Single Output AVoIP Rcv	Card: 2.1.0.2 MCU: 2.0.1.1	10.5.3
PAV-VOMVP1CP2	Card: 2.1.0.2 MCU: 2.0.1.1	10.5.3
IP Video Server Software (On Host)	3.7.0.0	11.2

IP Audio		
	11.2.4	Last Update (SavantOS)
RELEASE DATE	August 2026	
PAV-SIPA1SM	11.2.0.548	11.2
PAV-AIO1C Single In/Out AVB Audio Box	11.2.0.547	11.2
PAV-SIPA50SM	11.2.0.548	11.2
PAV-SIPA50SMV2	11.2.0.548	11.2
PAV-SIPA125SM	11.2.0.548	11.2
PAV-SMS2001 (IP Audio Music Server)	11.2.0.548	11.2
SMS-1001-CONV, SMS-100AM-CONV	11.2.0.548	11.2
PAV-AIM7C 7 Input Audio Breakout	11.2.0.548	11.2
PAV-AOM8C-00 16 Channel Breakout	11.2.0.548	11.2
PAV-AOM8C-10 16 Channel Breakout (Firmware starts at 9.2.x)	11.2.0.548	11.2
PAV-AOMBAL8C-10 / PAV-AOMBAL8C-00 16 Channel Balanced Breakout	11.2.0.548	11.2
PAV-AOMWS1C IP Audio WiSA Bridge	11.2.0.547	11.2
2-Ch Active Soundbar (IP-STUDIO46-2CH) (IP-STUDIO55-2CH)	11.2.0.548	11.2
IP-STUDIO55WS-SUR	11.2.0.548	11.2
Active Micro Aperture Architectural Speaker (EDG-4-AVB)	11.2.0.547	11.2
IP-S2WS (AVB Sub)	11.2.0.547	11.2



Helpful: Refer to a pre-11.0 Release ReadMe for firmware information on SMS-1001, SMS-100AMedg, SMA-5000, and PAV-SIPA125.

Lighting		
Release Date: August 2026		
Devices	11.2.4 Firmware	Last Update (SavantOS)
Noon Director, Dimmer, Switch	3.0.1170	10.1
Lamp Controller	1.9.301	9.3.2
Wi-Fi Keypads (Circa Style)	1.9.84	8.2
Wi-Fi Keypads (Legacy Metropolitan - High Voltage)	2.2.159	11.2
Wi-Fi Keypads (Echo/Metro Style - High Voltage)	1.3.408	11.2
Wi-Fi Keypads V2 (Echo/Metro Style - High Voltage)	1.0.6	11.2
Echo/Metro Style Keypads (Low Voltage)	2.2.203	11.2.4
Echo/Metro Style Keypads V2 (Low Voltage)	0.4.1	11.2
Ascend Style Keypad (Low Voltage)	1.3.102	11.2.4
SKL-1010-00	2.1.101	11.2.4
SKL-3040-00	1.4.101	11.2.4
SKL-3030	1.0.13	11.2
LCB-TIE / LCB-TIE5	2.5.0	10.4
LCB-LEINT (bridge)	3.2.0	11.2.4
LCB-DMX / 010V	2.8.5	11.0.5
DMX Keypad	2.8.5	11.0.5

GE Lighting				
Release Date: August 2026				
	Devices	Product SKU	11.2.4 Firmware	Last Update (SavantOS)
Cync Pro	Reveal Bulb	068-8137-00	2.2.8	11.2
	Smart Plug	068-8138-00	2.2.8	11.2
Cync All in One	Under Cabinet Fixture	068-8171-00	2.2.8	11.2
	BR30/A19 Bulb	068-8169-00	2.2.8	11.2
	Dynamic Light Strip	068-8133-01	2.2.8	11.2
	Outdoor Smart Plug	068-8168-00	2.2.8	11.2
	Cafe Bulb	068-8233-00	2.2.8	11.2
	TCO Bulb	068-8235-00	2.2.8	11.2
	Wafer Fixture	068-8139-01	2.2.8	11.2
	RS-CAN6 Fixture	068-8159-00	2.1.65	11.2
	FC ST19/G25 Bulb	068-8165-00	2.1.65	11.2
	Full Color A19 Bulb	068-8258-00	2.1.65	11.2
	Indoor Smart Plug	068-8138-01	2.1.65	11.2
	Temp A21 Bulb	068-8207-00	2.1.65	11.2
Proseo	Under Cabinet Fixture	068-8260-00	2.2.8	11.2
	LED RGBW & TW Light Strip	068-8263-00	2.2.8	11.2
	LED Tunable White Strip	068-8264-00	2.2.8	11.2
	LED Outdoor RGBW/Neo/TW Strip	068-8265-00	2.2.8	11.2
	Keypad	068-8277-00	2.2.20	11.2.4
	3-Way-Dimmer	068-8274-00	2.2.20	11.2.4
	3-Way-Switch	068-8271-00	2.2.20	11.2.4
	Fan speed Keypad	068-8270-00	2.2.20	11.2.4
	In Wall Outlet	068-8279-00	2.2.8	11.2
	Wire-Free Remote	068-8269-00	2.6.30	11.2
	Indoor Outlet w/Meter	068-8278-00	2.1.65	11.2
	Dual Indoor Plug	068-8315-00	2.2.18	11.2.4
Cync Gen 2	Echo Paddle Dimmer	068-8217-00	2.2.20	11.2.4
	Echo Keypad	068-8218-00	2.2.20	11.2.4
Cync 3 in 1	Switch	068-8213-00	2.2.20	11.2.4
	Dimmer	068-8215-00	2.2.20	11.2.4

Lighting, Power, and Current Track Modules / Lighting Controllers
Release Date: August 2026

Modules / Controllers	Product SKU	11.2.4 Firmware	Last Updated (SavantOS)
QO DUAL ADAPTIVE PHASE DIMMER / FORWARD PHASE DIMMER	SPM-Q2APD10 / SPM-Q2FPD10	0.2.16	9.0
QO DUAL RELAY 20A / QO SINGLE RELAY 240V 30A	RPM-Q2R20120 / RPM-Q2R40240	0.2.16	9.0
HOMELINE DUAL ADAPTIVE PHASE DIMMER / FORWARD PHASE DIMMER	SPM-H2APD10 / SPM-H2FPD10	0.2.16	9.2
HOMELINE DUAL RELAY 20AMP / HOMELINE RELAY 240V 30A	RPM-H2R20120 / RPM-H1R40240	0.2.16	9.2
QO DUAL 24V CONTROL RELAY PON	GPM-QP2PWL-20	2.1.6	10.1
QO APD LIGHTING MODULE, PON / PIGTAIL	GPM-QP2APD10-21 / GPM-Q2APD10-21	3.5.27	11.2
QO FPD LIGHTING MODULE, PON / PIGTAIL	GPM-QP2FPD05-21 / GPM-Q2FPD05-21	3.5.27	11.2
CH APD LIGHTING MODULE, PON / PIGTAIL	GPM-CP2APD10-21 / GPM-C2APD10-21	3.5.27	11.2
CH FPD LIGHTING MODULE, PON / PIGTAIL	GPM-CP2FPD05-21 / GPM-C2FPD05-21	3.5.27	11.2
1-INCH APD LIGHTING MODULE, PIGTAIL	GPM-H2APD10-21	3.5.27	11.2
1-INCH FPD LIGHTING MODULE, PIGTAIL	GPM-H2FPD05-21	3.5.27	11.2
QO DUAL 20A POWER MODULE, PON / PIGTAIL	GPM-QP2R20120-21 / GPM-Q2R20120-21	3.5.27	11.2
QO SINGLE 30A POWER MODULE, PON / PIGTAIL	GPM-QP1R30240-21 / GPM-Q1R30240-21	3.5.27	11.2
QO SINGLE 60A POWER MODULE, PON / PIGTAIL	GPM-QP1R60240-21 / GPM-Q1R60240-21	3.5.27	11.2
CH DUAL 20A POWER MODULE, PON / PIGTAIL	GPM-CP2R20120-21 / GPM-C2R20120-21	3.5.27	11.2
CH SINGLE 30A POWER MODULE, PON / PIGTAIL	GPM-CP1R30240-21 / GPM-C1R30240-21	3.5.27	11.2
CH SINGLE 60A POWER MODULE, PON / PIGTAIL	GPM-CP1R60240-21 / GPM-C1R60240-21	3.5.27	11.2
1-INCH DUAL 20A POWER MODULE, PIGTAIL	GPM-H2R20120-21	3.5.27	11.2
1-INCH SINGLE 30A POWER MODULE, PIGTAIL	GPM-H1R30240-21	3.5.27	11.2
1-INCH SINGLE 60A POWER MODULE, PIGTAIL	GPM-H1R60240-21	3.5.27	11.2
1-INCH CURRENT TRACK MODULE, PIGTAIL	GPM-H2SEM-00	3.5.27	11.2
QO CURRENT TRACK MODULE, PIGTAIL	GPM-Q2SEM-00	3.5.27	11.2
CH CURRENT TRACK MODULE, PIGTAIL	GPM-C2SEM-00	3.5.27	10.5.1
PANEL BRIDGE CONTROLLER	PBC-1000-00 / -10 / PBC-P1000 / PB-P2000	3.2.1	11.2.4
SAVANT ENERGY MONITOR	SEM-2015 / 2016	2.8.0	11.0
SAVANT PDU 3 OUTLETS (12A)	PDU-WM12A3-00	1.0.12	11.0.5

Appendix D: Host Licensing and Feature Support Matrix

The features and capabilities supported for each Embedded and Mac Host are listed below.

Embedded Hosts			Standalone Hosts			
Supported Hosts	HST-SIPAIECO-xx HST-STUDIO55WS-ECO-xx	HST-DIRECTOR-01	Smart Host SHR-2000-xx	Apple Mac Hosts (SVR-5300S+, SVR-6300S+, SVR-7300S)		
Runtime License	Included		OSL-SMARTECO-00	OSL-LIMITED-00	OSL-CORE-00	OSL-UNLIMITED-00
License Capabilities						
Power	Energy Monitoring/Management	No	512 Energy Loads/Yes	128 Energy Loads/No	Open	
	Savant Battery Storage	No	Yes	No	Yes	
	PDU Management (Savant or 3rd Party)	Yes				
	3rd Party Battery	No	Yes	No	Requires SFL-3PBATTERYSTORAGE-MAC	
AV	Distributed AV Zones	6 Total Entertainment Zones (2 Zones with Displays + 4 Audio Only Zones)		16 Total Entertainment Zones (8 Zones with Display + 8 Audio only Zones)		Open
	3rd Party Music	No		SFL-3PLMS-SMART	SFL-3PLMS-LIMITED	SFL-3PLMS-CORE-UNLIMITED
	3rd Party AV Switches	No*			Yes	
Environmental	Savant Lighting Loads & Shades	50	200	100		Open
	3rd Party Lighting Loads & Shades	No		SFL-3PLMS-SMART	SFL-3PLMS-LIMITED -OR- ≥32 Savant Lighting Loads	SFL-3PLMS-CORE-UNLIMITED -OR- ≥128 Savant Lighting Loads
	Door Locks / Garage Doors	2/2	8/8	4/4		Open
	Security Partitions / Zones	No	1/32	1/64		Open
	IP Cameras / Door Entry Stations**	3/1		6/2	16/4	32/12
	HVAC (T-stats)	4	8	6	16	32 64
	System Capabilities					
Software	Configuration Software	Blueprint	SP&L -OR- Blueprint***	Blueprint		
	Total UI Devices	24			Open	
	Subordinate Mode Capable	Yes	No			
AV	Savant IP Video	No		Open		
	Savant IP Audio Talkers / Endpoints	Up to 6/Open		Up to 18/Open	Up to 45/Open	
	Video Tiling	No			Yes	
Env	Lutron LEAP Loads	No		125	1024	
	IP Lighting / Shade Devices****	≤ 253			≤ 400	
	Environmental Only Rooms	Open				
Essentials Subscription						
Essentials SKU	SSL-IPAUDIOE-1YR	SSL-DIRECTE-1YR	SSL-SMARTECOE-1YR	SSL-EVOMACE-1YR		
Configuration Upload	Essentials Required	Essentials Optional	Essentials Required			
Apple Shortcuts & Siri Integration	No			Essentials Required		
Essentials Subscription provides Home Backup & Restore, Intercom, Zoom Room, Ring, & Honeywell capabilities.						

An active Savant Essentials subscription enables the following features with this SavantOS release:

- Home Backup & Restore
- 2N Door Station (Clip Storage) = Intercom
- Apple Shortcuts and Siri Voice Integration
- Honeywell Thermostats T-Series Integration
- Lutron QSX and Ra3 (LEAP) Integration



IMPORTANT:

- Applies to Original Licensed Homes ONLY. No additional 3rd party feature license required.
- **ECO and EVO Licensed Homes:** Requires a 3rd party feature license SFL-3PLMS-xxx. See [Current 3rd-Party Feature Licensing](#).
- Ring Doorbell/Camera Integration
- Zoom Rooms Conferencing
- Savant Intercom
- Required for configuration upload
 - *Does not apply to Homes with Original Essentials Subscription
- Future Features and Enhancements

Savant Essentials subscriptions for each Host/Runtime License type can be purchased via Savant Central Management.

Host Licensing and Feature Legend

- * Exceptions include any device that is generating services to three or less zones. **Example:** A receiver that's a (6) x (2) switch or a (1) x (8) splitter with a single input.
- ** Door Entry Stations count against the total number of IP Cameras.
- *** Configuring through the Savant Power & Light app enables Power services only. Configuring through Blueprint enables both Power and Smart services.
- **** If the device limit is exceeded, Blueprint will display a "Device Limit Reached" prompt and prevent additional devices from being added. To verify the number of IP lighting/shade devices, navigate to **Blueprint > Lighting and Shades Device Manager > Configured Devices**.

Appendix E: Power Directors - SP&L App Configured (Feature Support Matrix)

The features and functions supported on each of the Power Director Hosts are listed below.



- Power Director Hosts (Version -00) can only be configured and deployed through the **Savant Power & Light app**.
- Host feature support may be subject to change in future releases.
- An active Essentials Subscription is not required for configuration upload or change.

Power Director		
Product Name	HST-DIRECTORLITE-00	HST-DIRECTOR-00
Available Licensing	Pre-Installed	
Configuration Software	Savant Power & Light app	
Energy Monitoring / Management*	40 Energy Loads	512 Energy Loads
Power Devices	(20) Power Modules per Power Director Lite Max Add-ons – (1) PBC / (1) SEM	(40) Power Modules per Power Director Max Add-ons - (7) PBC / (2) SEM
HVAC (GE Thermostat)	8	
Savant Battery Storage	Yes	
3rd Party Battery Storage	Yes	
3rd Party Power Distribution Units (PDU)	No	
Savant Power Distribution Units (PDU)	Yes	
Smart Home Services	No	
UI Devices	(24) Devices	

* Indicates the combined number of Loads supported for both energy and lighting.

Appendix F: Original Host Feature Support Matrix

The features and functions supported on each of the Savant System Original Hosts are listed below.

⚠️ IMPORTANT: Host feature support may be subject to change in future releases.

ORIGINAL HOSTS (PRO)				
In Blueprint as:	Pro Host			Super Pro Host v2
Purchased as:	SVR-5100S	SVR-5200S/5300S-xx	SVR-5400S-xx	SVR-7100S-00
Available Licensing	OSL-PRO10 - Runtime License SSL-PROE-1YR - Essentials Subscription			OSL-SUPERPRO10-00 - Runtime License SSL-SUPERPROE-1YR - Essentials Subscription
Anything Rooms	Open			Open
Audio Only Rooms	N/A			N/A
Environmental Only Rooms	N/A			N/A
App Compatibility	Savant App			Savant App
Tiling	Yes			Yes
3rd Party Switching	Yes			Yes
Energy Service	Open			Open
HVAC	(64) T-stats			(64) T-stats
Security	Open			Open
IP Cameras	Open			Open
Lighting	Open			Open
Shades	Open			Open
Leap Integration*	(500) Load Groups			(800) Load Groups
Mobile Devices	Open			Open
BACnet & KNX Integration	Yes			Yes
Savant IP Video Devices	Open			Open
Savant IP Audio Devices	Up to 45 (+200 Listen Only)			Up to 45 (+200 Listen Only)
Savant Music	Yes (Requires SMS unit)			Yes (Requires SMS unit)
Sonos	Yes			Yes
Entry Stations	(5) Stations			(5) Stations
Garage Door	Open			Open
Door Locks	Open			Open
Controllers	All Controllers in Blueprint			All Controllers in Blueprint
Subordinate Mode Capable	No			No

* A Lutron Leap load group consists of a controllable group of shades, dimmed loads, color-tunable loads, switches, or fans. If multiple shades are in 1 group to control together, only the group counts, not the individual motors; the same goes for ketra fixtures or other grouped products.

ORIGINAL HOSTS (SMART)						
In Blueprint as	S2 Rack Mount Host	S2 Host	HST-STUDIO	HST-SIPAISM	Smart Rack Mount Host	Smart Host with Control
Purchased as:	SHR-S2-xx	SHC-S2	HST-STUDIO46xx-2CH-00 HST-STUDIO55xx-2CH-00 HST-STUDIO55WS-SUR HST-STUDIO55WS-ECO-xx	HST-SIPAISM-00	SHR-2000-01 HST-SAVANT7 KIT-EHOSTC-00	HST-SAVANT2/P-00 HST-SAVANT3/P-00 HST-SAVANT4/P-00 HST-SAVANT5/P-00
Available Licensing	Pre-Installed SSL-S2EMBE-1YR - Essentials Sub		Pre-Installed SSL-S2EMBE-1YR - Essentials Sub		Pre-Installed SSL-S2EMBE-1YR - Essentials Sub	
Anything Rooms	(2) Rooms		(2) Rooms		(12) Rooms	
Audio Only Rooms	(4) Additional Audio Only		(4) Additional Audio Only		(6) Additional Audio Only	
Environmental Only Rooms	Open		Open		Open	
App Compatibility	Savant App		Savant App		Savant App	
Tiling	No		No		No***	
3rd Party Switching**	No		No		Requires Premium License	
Energy Service	No		No		(24) Sensors / (6) WPS max -or- 32 Power Modules	
HVAC	(4) T-stats		(4) T-stats		(12) T-stats	
Security	No		No		(128) endpoints	
IP Cameras	(4) cameras		(4) cameras		(8) cameras	
Lighting	(32) loads		(32) loads		(64) loads	
Shades	(32) shades		(32) shades		(32) shades	
Leap Integration*	(125) load groups		(125) load groups		(125) load groups	
Mobile Devices	(24) devices		(24) devices		(24) devices	
BACnet & KNX Integration	Yes		Yes		Yes	
Savant IP Video Devices	No		No		Open (No Tiling)	
Savant IP Audio Devices	Up to 6		Up to 6		Up to 18	
Savant Music	Yes (Requires SMS unit)		Yes		Yes (Requires SMS unit)	
Sonos	Yes		Yes		Yes	
Entry Stations****	(1) Station		(1) Station		(3) Stations	
Garage Door	(2) Garage Doors		(2) Garage Doors		(8) Garage Doors	
Door Locks	(2) Door Locks		(2) Door Locks		(8) Door Locks	
Controllers	All Controllers in Blueprint		All Controllers in Blueprint		All Controllers in Blueprint	
Subordinate Mode Capable	No		Yes		No	

Blueprint and System Monitor will continue to allow configuration uploads, and no warnings or alerts are displayed if the limits are exceeded. Savant does not test beyond the stated limits and won't support functional problems or performance issues that arise because of this.

Blueprint will warn with an alert and System Monitor will prevent the upload if exceeded.

- * A Lutron Leap load group consists of a controllable group of shades, dimmed loads, color-tunable loads, switches, or fans. If multiple shades are in 1 group to control together, only the group counts, not the individual motors; the same goes for ketra fixtures or other grouped products.
- ** Exceptions to this restriction will be anything that is generating services to three or less zones. An example would be a receiver that's a (6) x (2) switch or a (1) x (8) splitter with a single input.
- *** Can be used in non-distributed chassis based tiling up to 2 cards (2x2 only).
IMPORTANT! A Pro Host is required when distributed tiling is used, there are more than two cards, or when using Video Over IP based tiling.
- **** Entry Stations count against the allotted number of IP cameras an embedded license will allow.

Important Notice

Disclaimer

Savant Systems, Inc. reserves the right to change product specifications without notice, therefore, the information presented herein shall not be construed as a commitment or warranty.

Savant Systems, Inc. shall not be liable for any technical or editorial errors or omissions contained herein or for incidental or consequential damages resulting from the performance, furnishing, reliance on, or use of this material.

Patents

Certain equipment and software described in this document is protected by issued and pending U.S. and foreign patents.

All products and services are trademarks or registered trademarks of their respective manufacturer.

Copyright

This document contains confidential and proprietary information protected by copyright. All rights reserved. Copying or other reproduction of all or parts of this document is prohibited without the permission of Savant Systems.

Trademarks

© 2026 Savant Systems, Inc. All rights reserved. Savant, Savant App, TrueImage, Savant Host, Blueprint, Single App Home, TrueControl, Cync, and the Savant logo are trademarks of Savant Systems, Inc.

GE, GE monogram, and C by GE are trademarks of General Electric Company used under license.

AirPlay, Apple, AirPort Express, AirPort Extreme, Apple TV, Apple Remote Desktop, FireWire, iMac, iTunes, iPad, iPad mini, iPad Air, iPhone, MacBook, Mac, MacOS, and OS X are trademarks or trade names of Apple Inc. iOS is a trademark of Cisco®. Android, Google, Google Play, and other Google marks are trademarks of Google, Inc. Wi-Fi is a registered trademark of the Wi-Fi Alliance®. The WiSA logo is a trademark or registered trademark of WiSA, LLC in the United States and other countries. HDMI® is a trademark of HDMI Licensing, LLC. NETGEAR®, the NETGEAR Logo and ProSAFE are trademarks of NETGEAR, Inc. Extreme™ is a trademark of Extreme Networks, Inc.

The Lutron logo, and Lutron are trademarks or registered trademarks of Lutron Electronics Co., Inc. in the U.S. and/or other countries.

All other brand names, product names, and trademarks are the property of their respective owners.

Technical and Sales Support

Savant Systems, Inc is dedicated to providing prompt and effective support in a timely and efficient manner.

- To contact Savant Support, access the Savant Customer Community and enter a support Case ticket.
- To contact Savant Sales, visit Savant.com and select Contact Us to locate a local sales representative in your area.